### Adviesraad voor Bioveiligheid Conseil consultatif de Biosécurité

# Advice of the Belgian Biosafety Advisory Council on notification B/BE/22/V3 from VIB for deliberate release in the environment of genetically modified plants for research and development

24 March 2022 Ref. SC/1510/BAC/2022 0350

The notification B/BE/22/V3 has been submitted by the VIB to the Belgian Competent Authority (CA) in January 2022 for a request of deliberate release in the environment of genetically modified higher plants for research and development according to Chapter II of the Royal Decree of 21 February 2005.

The title of the notification is: Scientific field evaluation of maize with modified growth characteristics. The purpose of the release is to measure the performance of the modified maize plants under normal field conditions and learn whether they perform better during periods of drought.

The notification has been officially acknowledged by the CA on 14 January 2022 and forwarded to the Biosafety Advisory Council for advice.

Within the framework of the evaluation procedure, the Biosafety Advisory Council, under the supervision of a coordinator and with the assistance of its Secretariat, contacted experts to evaluate the dossier. One expert from the common list of experts drawn up by the Biosafety Advisory Council and the Biosafety and Biotechnology Unit (SBB), answered positively to this request.

The experts assessed whether the information provided in the notification was sufficient and accurate in order to state that the deliberate release of the GM maize lines would not raise any problems for the environment, animal or human health in the context of the intended use.

On 2 March 2022, based on a list of questions prepared by the Biosafety Advisory Council, the CA requested the notifier to provide additional information. Answers to the questions were received by the Secretariat on 9 March 2022.

For the purpose of the scientific evaluation, the following legislation has been considered:

- Royal Decree of 21 February 2005 (Belgian Official Journal of 24.02.2005, p. 7129) modified by the Royal Decree of 19 February 2020 (Belgian Official Journal of 02.03.2020, p. 12666).

In parallel to the scientific evaluation, the CA made the dossier available on its website for a one-month public consultation as required in the abovementioned Royal Decree. No questions of the public tackling biosafety issues of the GM maize were received.

SC/1510/BAC 2022 0350 p1/4

### Summary of the scientific evaluation

### 1. Information related to the recipient or parental plants

Zea mays is an allogamous plant that propagates through seed produced predominantly by cross-pollination. Maize pollen can be collected by honeybees and other insects, however these pollinating insects play a minor role in the cross-pollination of maize plants which relies mainly on wind for the dispersal of its pollen (OECD, 2003¹). Data on pollen dispersal in maize demonstrated that the levels of cross-fertilisation drop rapidly over the initial meters around the pollen source and that most of the released pollen is deposited within about 30 m of the source (Devos *et al.*, 2005²). At distances farther than 30 - 50 m from the source, pollen dispersal is very low but not zero. However, vertical wind movements can lift up pollen and distribute it over distances up to kilometers under suitable climatic conditions. In Belgium (and in Europe) there are no sexually cross-compatible indigenous wild relatives with which maize can hybridise and form progeny (OECD, 2003; EFSA, 2016³). Teosinte, regarded as an invasive weed in Europe since its first occurrence in France (1990) and Spain (2009), has so far not been reported in Belgium. The only recipient plants that can be cross-fertilised by maize in Belgium are therefore other cultivated maize varieties.

Seed dispersal of individual kernels of domesticated plants are mainly the result of field operations of harvesting the crop and transporting the grain from the harvested fields to storage facilities. Spilled maize seeds can overwinter, germinate and appear in the field as volunteers. However, maize is incapable of sustained reproduction outside the domestic cultivation area as it has lost its ability to survive in the wild due to its long process of domestication (OECD, 2003). Volunteers will only occur after a warm winter period (with no temperatures lower than 0°C for more than 6 to 8 hours) and will be characterised by a low probability of cross-pollination (Grüber *et al.*, 2008<sup>4</sup>; Palaudelmàs *et al.*, 2009<sup>5</sup>). Given the Belgium weather conditions, volunteers are not likely to occur.

### 2. Information on the design and management conditions in the field trial

The field trial will be conducted during three growing season (from April 2022 until October 2024). The surface of the area for cultivation will not exceed 800 m<sup>2</sup>.

Prior to complete formation, tassels from the GM maize will be removed by hand in order to prevent the dispersal of GM pollen. Once the last leaf has been formed, monitoring of upcoming tassels will take place every two days until all tassels have been removed and will be maintained until September 15. Removed tassels will be transported in closed bags and inactivated.

During harvest, cobs of the GM maize plants will be collected by hand and transported in closed bags to the lab. Material will be inactivated if no longer needed for research. Stems and leaves, except for a

**Biosafety Advisory Council - Secretariat** • Service Biosafety and Biotechnology (SBB) Sciensano • Rue Juliette Wytsmanstraat 14 • B-1050 Brussels • Belgium T + 32 2 642 52 93 • bac@sciensano.be • www.bio-council.be

SC/1510/BAC 2022 0350 p2/4

.

<sup>&</sup>lt;sup>1</sup> OECD, 2003. Consensus Document on the biology of *Zea mays* subsp. *Mays* (maize). Series on Harmonisation of Regulatory Oversight in Biotechnology (ENV/JWMONO(2003)11), No. 27:1-49. http://www.olis.oecd.org/olis/2003doc.nsf/LinkTo/NT0000426E/\$FILE/JT00147699.PDF

<sup>&</sup>lt;sup>2</sup> Devos *et al.*, 2005. The co-existence between transgenic and non-transgenic maize in the European Union: a focus on pollen flow and cross-fertilization. Environmental Biosafety Research 4, 71-87.

<sup>&</sup>lt;sup>3</sup> EFSA (European Food Safety Authority), 2016. Relevance of new scientific evidence on the occurrence of teosinte in maize fields in Spain and France for previous environmental risk assessment conclusions and risk management recommendations on the cultivation of maize events MON810, Bt11, 1507 and GA21. EFSA supporting publication 2016:EN-1094. 13 pp.

<sup>&</sup>lt;sup>4</sup> Grüber *et al.*, 2008. Post-harvest gene escape and approaches for minimizing it. CAB International 2008 (<a href="http://www.cababstractsplus.org/cabreviews">http://www.cababstractsplus.org/cabreviews</a>)

<sup>&</sup>lt;sup>5</sup> Palaudelmàs et al., 2009. Effect of volunteers on maize gene flow. Transgenic Res. 18, 583-594

few which will be harvested, will be shredded on the field. Roots and the lowest part of the stem will be left in the ground.

After the field trial, the field will be left fallow and ploughed at the latest during next spring.

### 3. Information related to the genetic modification

The GM maize lines Da and C obtained by the CRISPR-Cas9 technology (introduced via Agrobacterium tumefaciens-mediated transformation), are subject of this field experiment.

The maize lines Da and C contain a knocked out H1L (histon1-like) gene which has been achieved by a deletion of respectively 266 bp in the Da line and 79 bp in the C line. The H1L encodes a variant of Histon1 and is more expressed during drought. Knocking out H1L may result in plants with a better growth during periods of drought.

The GM maize lines were obtained using a vector containing Cas9 and guide RNA (gRNA) genes on a T-DNA construct. The T-DNA construct used for transformation also contains a hyg gene that served as a marker for the selection of transformants after Agrobacterium tumefaciens-mediated transformation. The hyg gene results in resistance to the antibiotic hygromycin. Also the vector backbone contains an antibiotic resistance marker gene, namely the Sm/Sp gene, rendering resistance to spectinomycin.

Transformed plants selected on the basis of hygromycin were subsequently backcrossed with the inbred line B104 and finally selfed to obtain homozygous plants solely containing the mutation (and no vector DNA). The homozygous plants included in the field trial were tested for the lack of vector sequences, including the antibiotic resistance marker gene, via qualitative real-time PCR using several construct-specific primers. These tests confirmed the absence of vector DNA.

### 4. Potential risks for the environment, animal or human health associated with the release of the GM maize

No increased persistence in the field or invasiveness into natural habitats of the GM maize lines compared to non-GM maize is expected. The intended changed characteristic (increased resistance against DNA stress) may result in a selective advantage to survivability. Moreover, the measures taken (removal of tassels and manual collection of cobs) rule out the development and survival of the GM maize in the year(s) after the field trial.

Vertical gene transfer to cultivated maize in the surroundings through pollen can virtually be ruled out due to the removal of the tassels.

Horizontal gene transfer between plants and micro-organisms is considered as a rare event under natural conditions (Keese, 2008<sup>6</sup>). In case gene transfer from the GM maize to micro-organisms would take place and gene expression would occur (although unlikely as the maize gene is non-functional due to deletions), negative effects on the environment and humans are not expected. The H1L gene, expressing a histone present in chromatin in eukaryotic cells, will not confer a selective advantage to bacteria.

Further, it is not expected that the GM maize would have significant effects on organisms (invertebrates, vertebrates and soil micro-organisms) and humans, as no trait that could affect the behaviour or development of organisms via contact or feeding has been integrated. Given the restricted scale of the field trial, any potential effect to organisms and biogeochemical processes - if these would occur - will

Biosafety Advisory Council - Secretariat • Service Biosafety and Biotechnology (SBB) Sciensano • Rue Juliette Wytsmanstraat 14 • B-1050 Brussels • Belgium T+3226425293 • bac@sciensano.be • www.bio-council.be

SC/1510/BAC 2022 0350

p3/4

<sup>&</sup>lt;sup>6</sup> Keese, P. 2008. Risks from GMOs due to horizontal gene transfer. Environ. Biosafety Res. 7: 123-149.

be of a local and temporal nature. As the release of GM pollen in the environment is prevented, a possible altered allergenicity potential of the transgenic pollen (allergy from maize pollen may occur in case of occupational exposure to high amounts of pollen grains, see e.g. Oldenburg et al., 2011<sup>7</sup>) does not form a concern for human health.

### 5. Information related to the control, monitoring, post-release and waste treatment

The management measures proposed are considered as sufficient to prevent potential adverse effects to the environment, animal and human health during and after the field trial. The monitoring and removal of any appearing tassel in the transformed lines will prevent gene flow by pollen spread. Careful manual harvesting of the cobs and storing them in closed bags will prevent seed dispersal. The seeds and the few collected plants will be destroyed after analysis.

Years of experience have shown that no volunteer plants appear in the year following the field trial. Therefore, the field will be left fallow (without monitoring of volunteers) and ploughed at the latest during next spring.

### Conclusion

Provided that the trials are conducted as described in the dossier, the Biosafety Advisory Council concludes that it is very unlikely that this proposed small scale field trials with GM maize will harm human health, animals or the environment.

Prof. Dr. ir. Geert Angenon

President of the Biosafety Advisory Council

Annex I: Compilation of comments of experts in charge of assessing the dossier B/BE/22/V2 (ref: BAC\_2022\_0289)

Biosafety Advisory Council - Secretariat • Service Biosafety and Biotechnology (SBB) Sciensano • Rue Juliette Wytsmanstraat 14 • B-1050 Brussels • Belgium T + 32 2 642 52 93 • bac@sciensano.be • www.bio-council.be

SC/1510/BAC 2022 0350

p4/4

<sup>&</sup>lt;sup>7</sup> Oldenburg 2011. Maize pollen is an important allergen in occupationally exposed workers. Journal of Occupational Medicine and Toxicology 6: 32.

### Adviesraad voor Bioveiligheid Conseil consultatif de Biosécurité

### Compilation of comments of the experts in charge of evaluating notification B/BE/22/V3

Ref. SC/1510/BAC/22 0289

Coordinator: Geert Angenon

Experts: Nina Papazova (Sciensano, GMOLAB), Jan Van Doorsselaere (VIVES)

SBB: Adinda De Schrijver

### INTRODUCTION

Dossier **B/BE/22/V3** concerns a notification of the VIB, for deliberate release in the environment of genetically modified higher plants (GMHP) according to Chapter II of the Royal Decree of 21 February 2005.

The notification has been officially acknowledged on 14 January 2022 and concerns a field trial with maize modified growth characteristics (increased drought tolerance).

Experts were invited to evaluate the GMHP considered in the notification as regards their potential impacts on the environment, including human and animal health, and information relating to pre- and post-release treatment of the site.

The comments of the experts are roughly structured as in

- Annex II (principles for the risk assessment) of the Royal Decree of 21 February 2005
- Annex III (information required in notifications) of the Royal Decree of 21 February 2005

SC/1510/BAC/22/0289 p1/5

### **EVALUATION FORM**

The comments below served as basis for a list of questions that the competent authority forwarded to the notifier with a request to provide additional information. The comments highlighted in grey correspond to the questions/comments selected and sent to the notifier.

#### B. INFORMATION RELATED TO THE RECIPIENT OR (WHERE APPROPRIATE) PARENTAL PLANTS

Have evaluated this section and had no comments/questions: 1 expert

#### C. INFORMATION RELATED TO THE GENETIC MODIFICATION

Have evaluated this section and had no comments/questions: 1 expert\_

### Comment:

Pagina 7: afkorting qRT-PCR: volledige naam gebruiken kwantitatieve real time PCR

Bijlage 2: Op pagina 6 wordt het transformatieschema/figuur gegeven. Graag bijkomend vermelden dat er ook niet met het bar-gen wordt gewerkt als selectiemerker maar met hptii

Er wordt gesproken van .... expressie levels....; dit is foute terminologie en verwijst naar genexpressie levels; dit moet worden veranderd naar T-DNA kopij

Primers voor backbone vector: is dit voor Sm/SpR?

De methodieken zijn duidelijk.

Note SBB: Proposals for textual changes are not forwarded to the notifier (comment p.7 & bijlage 2); primers used to determine backbone vector sequences are summarized in Figure 2 of Annex 2 and include two primer sets to verify the presence of Sm/SpR gene.

Note coordinator: Annex 2 mentions that the location of the primers used to verify absence of T-DNA and vector backbone are indicated on Figure 6, however this is not visible on Figure 6. It is not clear where the primers to detect backbone are located. It is not clear either where the primers to detect "left border" and "right border" are located (both primers inside the T-DNA region, both outside the T-DNA region, or one inside and one outside?).

#### D. INFORMATION RELATED TO THE GENETICALLY MODIFIED PLANT

### D.1. Information related to the traits and characteristics, which have been introduced or modified

Have evaluated this section and had no comments/questions: 1 expert

### D.2. Information on the molecular characteristics of the final GMO

### Comment:

Pag 10: het is niet 100% zeker dat er geen donormateriaal aanwezig is in de plant; er werd slechts gecontroleerd voor een deel van de backbone; bijkomende PCR met meerdere primersets kan dit oplossen of de tekst aanpassen naar: "..... hoogstwaarschijnlijk geen backbone DNA aanwezig in de plant....."

Note SBB: Proposals for textual changes are not forwarded to the notifier

p2/5 SC/1510/BAC/22/0289

### D.3. Information on the expression (of the insert)

Have evaluated this section and had no comments/questions: 1 expert

### D.4. Information on how the GM plant differs from the recipient plant

Have evaluated this section and had no comments/questions: 1 expert

### D.5. Genetic stability of the insert and phenotypic stability of the GMHP

Have evaluated this section and had no comments/questions: 1 expert

### D.6. Any change to the ability of the GMHP to transfer genetic material to other organisms

Have evaluated this section and had no comments/questions: 1 expert

### D.7. Information on any toxic, allergenic or other harmful effects on human health arising from the genetic modification

Have evaluated this section and had no comments/questions: 1 expert

## D.8. Information on the safety of the GMHP to animal health, particularly regarding any toxic, allergenic or other harmful effects from the genetic modification, where the GMHP is intended to be used in animal feedstuffs

Have evaluated this section and had no comments/questions: 1 expert

### D.9. Mechanism of interaction between the genetically modified plant and target organisms (if applicable)

Have evaluated this section and had no comments/questions: 1 expert

### D.10. Potential changes in the interactions of the GMHP with non-target organisms resulting from the genetic modification

Have evaluated this section and had no comments/questions: 1 expert

### D.11. Potential interactions with the abiotic environment

Have evaluated this section and had no comments/questions: 1 expert

### D.12. Description of detection and identification techniques for the GM plant

### Comment:

- Information on the protocols used for DNA extraction is missing. In particular, if a kit is used for DNA extraction from plant material, a reference of the kit should be provided;
- Concerning the sequencing step: The amplicon sequence should be provided to be able to
  analyse the sequence, and the sequencing strategy should be better described in terms of
  replicates (how many?), strands to sequence (one or two?), and alignment to the reference
  sequence. In particular, can it be clarified why another primer (only one) is proposed for
  sequencing and if the primers for amplification can be used for sequencing?

SC/1510/BAC/22/0289 p3/5

### D.13. Information about previous releases of the GM plant, if applicable

Have evaluated this section and had no comments/questions: 1 expert

### E. INFORMATION RELATING TO THE SITE OF RELEASE

Have evaluated this section and had no comments/questions: 1 expert

### F. INFORMATION RELATING TO THE RELEASE

Have evaluated this section and had no comments/questions: 1 expert

### G. INFORMATION RELATED TO CONTROL, MONITORING, POST-RELEASE AND WASTE TREATMENT

### G.1. Any measures taken

Have evaluated this section and had no comments/questions: 1 expert

### G.2. Information on methods for post-release treatment of site

Have evaluated this section and had no comments/questions: 1 expert

### G.3. Information on post-release treatment methods for the GM plant material, including wastes

Have evaluated this section and had no comments/questions: 1 expert

### G.4 Information on monitoring plans and techniques

Have evaluated this section and had no comments/questions: 1 expert

### G.5. Information on any emergency plans

Have evaluated this section and had no comments/questions: 1 expert

### G.6. Information on methods and procedures to protect the site

Have evaluated this section and had no comments/questions: 1 expert

### ANNEX 1. INFORMATION RELATED TO THE RISKS FOR THE ENVIRONMENT

### 1. Persistence and invasiveness of the GM plant, including of gene flow from plant to plant

Have evaluated this section and had no comments/questions: 1 expert

### 2. Gene transfer from GM plants to micro-organisms

Have evaluated this section and had no comments/questions: 1 expert

### 3. Interactions of the GM plant with target organisms

Have evaluated this section and had no comments/questions: 1 expert

### 4. Interactions of the GM plant with non-target organisms

Have evaluated this section and had no comments/questions: 1 expert

SC/1510/BAC/22/0289 p4/5

### 5. Effects of the specific cultivation, management and harvest techniques

Have evaluated this section and had no comments/questions: 1 expert

### 6. Effects on biogeochemical processes

Have evaluated this section and had no comments/questions: 1 expert

### 7. Effects on human and animal health

Have evaluated this section and had no comments/questions: 1 expert

### **OTHER INFORMATION**

Do you have any other questions/comments concerning this notification that are not covered under the previous items?

### Comment:

Het VIB organiseert regelmatig in Wetteren veldproeven met GG-maïs. Deze proeven worden telkens op dezelfde veilige wijze uitgevoerd.

Note SBB & coordinator: The following comment made in the context of the evaluation of B/BE/22/V1 is valid for this dossier.

It should be acknowledged that the implementing rules for the RA of GMPs released into the environment, as followed here, are not 'fit for purpose' for the assessment of field-tested gene-edited plants.

SC/1510/BAC/22/0289 p5/5